




2016 CATALOG

Since 1985 » Simple. Predictable. Profitable.



IMPLANTS



3.0mm Well

Integra-CP⁺

PART NO.	DIAMETER	LENGTH
345-306	4.5mm	6.0mm
345-308	4.5mm	8.0mm
345-311	4.5mm	11.0mm
350-305	5.0mm	5.0mm
350-306	5.0mm	6.0mm
350-308	5.0mm	8.0mm
350-311	5.0mm	11.0mm
360-305	6.0mm	5.0mm
360-306	6.0mm	6.0mm
360-108	6.0mm	8.0mm



2.5mm Well

Integra-CP⁺

340-255	4.0mm	5.0mm
340-256	4.0mm	6.0mm
340-258	4.0mm	8.0mm
340-251	4.0mm	11.0mm
345-258	4.5mm	8.0mm
345-251	4.5mm	11.0mm



2.0mm Well

Integra-CP⁺

330-206	3.0mm	6.0mm
330-208	3.0mm	8.0mm
335-008	3.5mm	8.0mm
335-011	3.5mm	11.0mm

HEALING PLUG INSERTERS



PART NO.	DIAMETER
100-002	2.0mm
100-025	2.5mm
100-001	3.0mm

COLLAGEN PRODUCTS



Membrane



Plug

PART NO.	DESCRIPTION
509-600	15 x 20mm Membrane
509-300	20 x 30mm Membrane
509-800	30 x 40mm Membrane
509-400	Collagen Plug (10)

SYNTHOGRAFT™



PART NO.	DESC.	PARTICLE SIZE	TOTAL GRAMS	VIALS
400-125	0.25g	Small	1.25g	5
400-150	0.5g	Small	2.5g	5
400-151	1.0g	Small	5.0g	5
400-152	2.0g	Small	10.0g	5
400-525	0.25g	Large	1.25g	5
400-500	0.5g	Large	2.5g	5
400-501	1.0g	Large	5.0g	5
400-502	2.0g	Large	10.0g	5

BONE GRAFTING INSTRUMENTATION



801-510	4.0mm Bone Graft Syringe
801-511	5.0mm Bone Graft Syringe

IMPRESSION COMPONENTS



Impression Post
Titanium

3.0mm Post



Impression Sleeve
Plastic



Implant Analog
Titanium

PART NO.	DESCRIPTION
100-433	Impression Post and Sleeve*
100-434	Implant Level Impression Kit**
100-435	Impression Sleeve (4)
100-388	Implant Analog (2)



Impression Post
Titanium

2.5mm Post



Impression Sleeve
Plastic



Implant Analog
Titanium

100-413	Impression Post and Sleeve*
100-414	Implant Level Impression Kit**
100-415	Impression Sleeve (4)
100-288	Implant Analog (2)



Impression Post
Titanium

2.0mm Post



Impression Sleeve
Plastic



Implant Analog
Titanium

100-423	Impression Post and Sleeve*
100-424	Implant Level Impression Kit**
100-425	Impression Sleeve (4)
100-188	Implant Analog (2)

* Contains two titanium impression posts and two plastic impression sleeves.

** Contains one titanium impression post, two plastic impression sleeves and one titanium analog.

UNIVERSAL ABUTMENTS



2.0mm Post

PART NO.	SERIES / PROFILE	ANGLE
140-710	4	0°
140-715	4	15°
140-720	4T	0°
150-700	5L	0°
150-705	5L	15°
150-710	5	0°
150-715	5	15°



2.5mm Post

240-710	4	0°
240-715	4	15°
240-720	4T	0°
240-725	4T	15°
250-700	5L	0°
250-705	5L	15°
250-710	5	0°
250-715	5	15°
250-720	5T	0°
250-725	5T	15°
265-700	6L	0°
265-705	6L	15°
265-710	6	0°
265-715	6	15°
265-720	6T	0°
265-725	6T	15°




3.0mm Post

350-700	5L	0°
350-705	5L	15°
350-710	5	0°
350-715	5	15°
350-720	5T	0°
350-725	5T	15°
365-700	6L	0°
365-705	6L	15°
365-710	6	0°
365-715	6	15°
365-720	6T	0°
365-725	6T	15°
375-700	7L	0°
375-705	7L	15°
375-710	7	0°

UNIVERSAL ABUTMENT COMPONENTS

Impression Sleeves (3)




PART NO.	SERIES / PROFILE
100-746	4-4T
100-751	5L
100-756	5-5T
100-761	6L
100-766	6-6T
100-771	7L-7

Temporization Sleeves (3)



100-845	4-4T
100-850	5L
100-855	5-5T
100-860	6L
100-865	6-6T
100-870	7L-7

Healing Caps (3)




100-846	4-4T
100-851	5L
100-856	5-5T
100-861	6L
100-866	6-6T
100-871	7L-7

Waxing Sleeves (3)



100-749	4-4T
100-754	5L
100-759	5-5T
100-764	6L
100-769	6-6T
100-774	7L-7

UNIVERSAL ABUTMENT TRANSFER DIES (2)



PART NO.	SERIES / PROFILE
100-745	4-4T
100-750	5L
100-755	5-5T
100-760	6L
100-765	6-6T
100-770	7L-7

UNIVERSAL ABUTMENT RESTORATIVE KITS (5-5T Kit Depicted Below)



PART NO.	SERIES / PROFILE
100-945	4-4T
100-950	5L
100-955	5-5T
100-960	6L
100-965	6-6T
100-970	7L-7

UNIVERSAL ABUTMENT COPINGS (2)



PART NO.	DESCRIPTION
105-700	UAS LP Retentive Copings
105-705	UAS LP Passive Copings
105-710	UAS SP/TP Retentive Copings
105-715	UAS SP/TP Passive Copings


TEMPORARY ABUTMENTS (Ti)

	2.0mm Post
140-245	4.0mm 4.5mm
140-265	4.0mm 6.5mm
150-245	5.0mm 4.5mm
150-265	5.0mm 6.5mm

	2.5mm Post
240-545	4.0mm 4.5mm
240-565	4.0mm 6.5mm
250-545	5.0mm 4.5mm
250-565	5.0mm 6.5mm
265-545	6.5mm 4.5mm
265-565	6.5mm 6.5mm

	3.0mm Post
340-345	4.0mm 4.5mm
340-365	4.0mm 6.5mm
350-345	5.0mm 4.5mm
350-365	5.0mm 6.5mm
365-345	6.5mm 4.5mm
365-365	6.5mm 6.5mm
375-345	7.5mm 4.5mm
375-365	7.5mm 6.5mm

SINUS LIFT TEMPORARY ABUTMENTS



PART NO.	DIAMETER	HEIGHT
260-503	6.0mm	2.5mm
365-503	6.5mm	2.5mm
370-503	7.0mm	2.5mm

HEALING ABUTMENTS

	2.0mm Post
240-500	4.0mm 5.0mm
240-800	4.0mm 8.0mm
250-500	5.0mm 5.0mm
250-800	5.0mm 8.0mm

	2.5mm Post
240-525	4.0mm 5.0mm
250-525	5.0mm 5.0mm

	3.0mm Post
350-500	5.0mm 5.0mm
350-800	5.0mm 8.0mm
365-500	6.5mm 5.0mm
365-800	6.5mm 8.0mm
375-500	7.5mm 5.0mm

TRANSITIONAL HEALING ABUTMENTS*

	2.5mm Post
250-201	5.0mm 2.0mm
250-211	5.0mm 3.0mm
250-221	5.0mm 4.0mm

*Each abutment is packaged with one 5.0mm stealth abutment sleeve.

NON-SHOULDERED ABUTMENTS



2.0mm Post

PART NO.	DIAMETER	HEIGHT	ANGLE
140-002	4.0mm	6.5mm	0°
140-015	4.0mm	6.5mm	15°
140-025	4.0mm	6.5mm	25°
140-101	4.0mm	10.0mm	0°
140-115	4.0mm	10.0mm	15°
150-001	5.0mm	6.5mm	0°
150-015	5.0mm	6.5mm	15°
150-025	5.0mm	6.5mm	25°
150-201	5.0mm	12.0mm	0°
150-215	5.0mm	12.0mm	15°



2.5mm Post

240-001	4.0mm	6.5mm	0°
240-015	4.0mm	6.5mm	15°
240-025	4.0mm	6.5mm	25°
240-101	4.0mm	10.0mm	0°
240-115	4.0mm	10.0mm	15°
250-001	5.0mm	6.5mm	0°
250-015	5.0mm	6.5mm	15°
250-025	5.0mm	6.5mm	25°
250-111	5.0mm	10.0mm	0°
250-115	5.0mm	10.0mm	15°
265-050	6.5mm	5.0mm	0°
265-055	6.5mm	5.0mm	15°



3.0mm Post

340-001	4.0mm	6.5mm	0°
340-015	4.0mm	6.5mm	15°
340-101	4.0mm	10.0mm	0°
340-115	4.0mm	10.0mm	15°
350-050	5.0mm	5.0mm	0°
350-055	5.0mm	5.0mm	15°
350-001	5.0mm	6.5mm	0°
350-015	5.0mm	6.5mm	15°
350-025	5.0mm	6.5mm	25°
350-101	5.0mm	10.0mm	0°
350-115	5.0mm	10.0mm	15°
350-201	5.0mm	12.0mm	0°
350-215	5.0mm	12.0mm	15°
365-050	6.5mm	5.0mm	0°
365-055	6.5mm	5.0mm	15°
365-001	6.5mm	6.5mm	0°
365-015	6.5mm	6.5mm	15°
375-801	7.5mm	8.0mm	0°
375-815	7.5mm	8.0mm	15°

EMERGENCE CUFFS FOR NON-SHOULDERED ABUTMENTS (4)



4.0mm



5.0mm



6.5mm

PART NO.	DIAMETER
140-010	4.0mm
150-010	5.0mm
165-065	6.5mm

NON-SHOULDERED ABUTMENT PROSTHETIC COMPONENTS

Restorative and Laboratory Kits*



4.0 x 6.5mm

4.0 x 10mm

PART NO.	DIAMETER	LENGTH
140-465	4.0mm	6.5mm
140-410	4.0mm	10.0mm



5.0 x 5.0mm

5.0 x 6.5mm

5.0 x 10mm

5.0 x 12mm

150-450	5.0mm	5.0mm
150-465	5.0mm	6.5mm
150-410	5.0mm	10.0mm
150-412	5.0mm	12.0mm



6.5 x 5.0mm

6.5 x 6.5mm

165-450	6.5mm	5.0mm
165-465	6.5mm	6.5mm



7.5 x 8.0mm

175-480	7.5mm	8.0mm
---------	-------	-------

*Each kit contains (1) transfer die, (1) impression/waxing sleeve, and (1) temporization sleeve.

Temporization Sleeves (2)



4.0mm



5.0mm



6.5mm



7.5mm

PART NO.	DIAMETER
140-165	4.0mm
150-165	5.0mm
165-165	6.5mm
175-165	7.5mm

ABUTMENT PREPARATION



Preparation Holder with Tips



2.0mm Tip



2.5mm Tip

PART NO.	DESCRIPTION
101-395	Preparation Holder with tips
701-382	2.0mm Tip
701-385	2.5mm Tip

ABUTMENT FORCEPS



Abutment Carrying Forceps



Abutment Removal Forceps (Upper)



Abutment Removal Forceps (Lower)

801-002	Carrying Forceps
801-055	Removal Forceps (Upper)
801-056	Removal Forceps (Lower)

BREVIS™ TRANSITIONAL IMPLANTS*



8.0mm



12.0mm



Straight Driver

PART NO.	DIAMETER	HEIGHT
425-208	2.5mm	8.0mm
425-212	2.5mm	12.0mm
101-902	Brevis Latch Driver	

*Brevis housing sold separately.

BREVIS™ ABUTMENTS*



2.0mm Post

PART NO.	HEIGHT	ANGLE
100-404	2.0mm	0°
100-405	2.0mm	15°
100-406	4.0mm	0°
100-407	4.0mm	15°
100-408	6.0mm	0°
100-409	6.0mm	15°



2.5mm Post

250-424	2.0mm	0°
250-425	2.0mm	15°
250-426	4.0mm	0°
250-427	4.0mm	15°
250-428	6.0mm	0°
250-429	6.0mm	15°



3.0mm Post

300-434	2.0mm	0°
300-435	2.0mm	15°
300-436	4.0mm	0°
300-437	4.0mm	15°
300-438	6.0mm	0°
300-439	6.0mm	15°

*Each abutment is packaged with one titanium Brevis housing with o-ring.

BREVIS™ ABUTMENT COMPONENTS



Rubber O-Rings
Enhanced Retention



Rubber O-Rings
Light Retention

PART NO.	DESCRIPTION
100-013	O-Rings - Enhanced (10)
100-014	O-Rings - Light (10)



Rubber O-Ring



Brevis Housing



Impression Cap



Aluminum
Transfer Die

100-212	Housing
100-217	Impression Kit with Housing
100-218	Impression Kit without Housing

LOCATOR® ABUTMENTS* Δ



2.0mm Post

PART NO.	DIAMETER	HEIGHT
200-501	4.0mm	1.0mm
200-502	4.0mm	2.0mm
200-503	4.0mm	3.0mm
200-504	4.0mm	4.0mm
200-505	4.0mm	5.0mm



2.5mm Post

250-501	4.0mm	1.0mm
250-502	4.0mm	2.0mm
250-503	4.0mm	3.0mm
250-504	4.0mm	4.0mm
250-505	4.0mm	5.0mm



3.0mm Post

300-501	4.0mm	1.0mm
300-502	4.0mm	2.0mm
300-503	4.0mm	3.0mm
300-504	4.0mm	4.0mm
300-505	4.0mm	5.0mm

*Each Locator® abutment is packaged with a male processing kit.

ΔThe use of a sulcus former may be necessary prior to the seating of a Locator Abutment.

LOCATOR® ABUTMENT COMPONENTS



2.3 kg (5.0 lb.)
Retention Male



1.4 kg (3.0 lb.)
Retention Male



0.7 kg (1.5 lb.)
Retention Male



Processing
Male



Metal
Housing Cap



Blockout
Spacer

PART NO.	DESCRIPTION
100-519	Male Processing Kit (2)



1.4 kg (3.0 lb.)
Retention Cap



0.9 kg (2.0 lb.)
Retention Cap



0.5 kg (1.0 lb.)
Retention Cap

100-521	Extended Range Green Cap (4)
100-525	Extended Range Orange Cap (4)
100-526	Extended Range Red Cap (4)



Impression Cap



Impression Analog

100-524	Impression Kit
---------	----------------



101-839	Locator Core Tool
---------	-------------------

FIXED-DETACHABLE ABUTMENTS*



2.0mm Post

PART NO.	DIAMETER	HEIGHT	ANGLE
100-003	4.0mm	3.0mm	0°
100-015	4.0mm	3.0mm	15°
100-004	4.0mm	5.0mm	0°
100-115	4.0mm	5.0mm	15°



2.5mm Post

250-213	4.0mm	3.0mm	0°
250-215	4.0mm	3.0mm	15°
250-214	4.0mm	5.0mm	0°
250-255	4.0mm	5.0mm	15°



3.0mm Post

300-003	4.0mm	3.0mm	0°
300-015	4.0mm	3.0mm	15°
300-004	4.0mm	5.0mm	0°
300-115	4.0mm	5.0mm	15°

FIXED-DETACHABLE COMPONENTS*



Plastic Transfer and
Castable Copings



Titanium Transfer
Copings



Titanium Abutment
Analog

PART NO.	DESCRIPTION
100-005	Plastic Coping (4)
100-019	Titanium Coping (4)
100-006	Titanium Analog (4)



5.0mm Hex
Coping Screws



10.0mm Hex
Coping Screws



Hex Retention
Screws



Hex Cover
Screws

100-016	5.0mm Hex Coping Screws (4)
100-017	10.0mm Hex Coping Screws (4)
100-020	Hex Retention Screws (4)
100-021	Hex Cover Screws (4)



101-024	Hex Screwdriver
---------	-----------------

*For screw retained and cast bar restorations.

DRILL UNIT AND HANDPIECES



PART NO.	DESCRIPTION
028-150	Electric Drill System*
028-425	Motor for Drill Unit

*Only the 20:1 High Torque Handpiece (028-201) is necessary when using this drill unit.



20:1 High Torque Handpiece



20:1 Low Torque Handpiece

028-201	20:1 High Torque Handpiece
028-202	20:1 Low Torque Handpiece

SILICONE DAPPEN DISH




103-030	Silicone Dappen Dish
---------	----------------------

MALLET



801-165	Mallet
---------	--------

HEALING PLUG INSTRUMENTS



Healing Plug Cutter



Healing Plug Removal Instrument (Manual)

801-001	Healing Plug Cutter
101-114	Removal Instrument (Manual)

SURGICAL AND RESTORATIVE KITS



Introductory Surgical Kit



Comprehensive Surgical Kit



Advanced Surgical Kit



Restorative Kit

PART NO.	DESCRIPTION
101-057	Introductory
101-098	Comprehensive
101-095	Advanced
101-096	Restorative

INSTRUMENTATION TRAYS



Advanced



Comprehensive



Restorative

PART NO.	DESCRIPTION
104-993	Advanced
104-994	Comprehensive
104-996	Restorative

STANDARD LATCH REAMERS (Ti6Al4V)



PART NO.	DESCRIPTION
101-125	2.5mm
101-130	3.0mm
101-135	3.5mm
101-140	4.0mm
101-645	4.5mm
101-650	5.0mm
101-655	5.5mm
101-660	6.0mm
101-120	Standard Latch Reamer Set

EXTENDED LATCH REAMERS (Ti6Al4V)



101-325	2.5mm
101-330	3.0mm
101-335	3.5mm
101-340	4.0mm
101-345	4.5mm
101-350	5.0mm
101-355	5.5mm
101-360	6.0mm
101-121	Extended Latch Reamer Set

HAND REAMERS (Ti6Al4V)



101-025	2.5mm
101-030	3.0mm
101-035	3.5mm
101-040	4.0mm
101-045	4.5mm
101-050	5.0mm
101-055	5.5mm
101-060	6.0mm
101-122	Hand Reamer Set*

*Includes straight handle, hand reamer extension, and reamer removal wrench

REAMER REMOVAL WRENCH



101-017	Removal Wrench
---------	----------------

PILOT DRILLS (Stainless Steel)



PART NO.	DESCRIPTION
101-001	2.0mm Standard
101-002	2.0mm Extended

LATCH REAMER EXTENDER



101-022 Latch Reamer Extender

PARALLELING PIN




701-001 Paralleling Pin

GAUGES



101-370 Double Ended Osteotomy Depth Gauge
101-380 Abutment Shoulder Depth Gauge

THREADED COMPONENTS




101-016 Threaded Straight Handle
101-009 Threaded Offset Handle
101-014 Threaded Knob
101-020 Threaded Instrument Adapter*

*For use with Sulcus Formers, Hand Reamers and Tissue Punches

SEATING TIPS




PART NO.	DESCRIPTION
101-010	2.0mm
101-258	2.5mm
101-018	3.0mm



101-012 Standard
101-019 Large

INSERTER AND RETRIEVER



101-005 2.0mm
101-007 2.5mm
101-006 3.0mm

SULCUS FORMERS*



101-440 4 Series
101-450 5 Series
101-465 6 Series
101-475 7 Series

*Packaged with Guide Pins

TISSUE PUNCHES



101-535 3.5mm
101-540 4.0mm
101-550 5.0mm
101-565 6.5mm

BONE EXPANDERS



PART NO.	DESCRIPTION
901-430	3.0mm
901-435	3.5mm
901-440	4.0mm
901-445	4.5mm
901-450	5.0mm
901-455	5.5mm
901-460	6.0mm
101-123	Bone Expander Set

OSTEOTOMES



901-535 3.5mm
901-540 4.0mm
901-545 4.5mm
901-550 5.0mm
901-560 6.0mm
101-124 Osteotome Set

CURVED CHISELS




901-645 4.5mm
901-650 5.0mm
901-660 6.0mm
101-126 Curved Chisel Set

EXPANDING CHISELS




901-613 3.0mm
901-615 5.0mm
901-616 6.0mm




801-330 3.0mm
801-345 4.5mm
801-355 5.5mm

GUIDE PINS




PART NO.	DESCRIPTION
101-180	2.0mm (4)
101-186	2.5mm (4)
101-183	3.0mm (4)

TREPHINES



801-837	3.75mm (4.6mm OD)
801-840	4.25mm (5.2mm OD)
801-850	5.25mm (6.2mm OD)
801-860	6.0mm (6.95mm OD)

CROWN ALIGNMENT DEVICE




PART NO.	DESCRIPTION
101-315	Crown Alignment Device
101-015	Crown Seating Tip

HYDROPLASTIC RESIN



103-031	Hydroplastic Resin (20g)
---------	--------------------------

COTTON TIP APPLICATORS




103-027	2.0mm (100)
103-028	3.0mm (100)

SHADE ENHANCER




103-006	Bicon Shade Enhancer
---------	----------------------

PERIOTOMES




PART NO.	DESCRIPTION
801-007	Double-Ended Straight Periosteal
801-008	Double-Ended Offset Periosteal

CURETTES



801-515	Severe Bend Sinus Lift Curette
801-517	Standard Bend Sinus Lift Curette
801-518	Antralplasty Elevator
801-522	Angled Curette

BURS



155-701	#1557 Regular Length Bur (5)
201-011	11.0mm Abutment Cutting Bur
155-704	#4 Round Bur Regular Length (5)
201-029	Sinus Lift Bur

IMPLANT SPACING TEMPLATE



101-305	Implant Spacing Template
---------	--------------------------

DENTURE DUPLICATOR




103-980	Denture Duplicator
103-990	Denture Duplicator Kit Consists of denture duplicator, silicone spray and Ortho-Jet™. Available only in the USA via ground shipping.

TRINIA™



PART NO.	DESCRIPTION	SIZE	COLOR
612-115	TRINIA™ Disc	98mm x 15mm	Ivory
612-125	TRINIA™ Disc	98mm x 25mm	Ivory
615-115	TRINIA™ D-Shaped	89 x 71 x 15mm	Ivory
613-115	TRINIA™ Block (2)	55 x 19 x 15mm	Ivory
614-115	TRINIA™ Block (2)	40 x 19 x 15mm	Ivory
612-215	TRINIA™ Disc	98mm x 15mm	Pink
612-225	TRINIA™ Disc	98mm x 25mm	Pink
615-215	TRINIA™ D-Shaped	89 x 71 x 15mm	Pink

SCAN POSTS (2)




PART NO.	DESCRIPTION
100-610	2.0mm
100-620	2.5mm
100-630	3.0mm

IAC® POLISHING KIT




103-033	IAC® Polishing Kit
---------	--------------------

RADIOGRAPH GRID



103-002	30 x 42mm
---------	-----------

DEMONSTRATION MODELS




102-501	Abutment Replica	UA5
102-508	Implant Replica	5.0 x 6.0mm
102-104	Foam Practice Model	
102-115	Crown Model	
102-120	Overdenture Model	


GUIDED SURGERY KITS




3.0mm



4.0mm



4.5mm




5.0mm

PART NO.	DESCRIPTION
101-830	3.0mm
101-840	4.0mm
101-845	4.5mm
101-850	5.0mm


GUIDED SURGICAL TRAYS




3.0mm



4.0mm



4.5mm



5.0mm

104-930	3.0mm
104-940	4.0mm
104-945	4.5mm
104-950	5.0mm

GUIDED SURGERY REAMERS



3.0 x 6.0mm 3.0 x 8.0mm



4.0 x 5.0mm 4.0 x 6.0mm 4.0 x 8.0mm 4.0 x 11.0mm



4.5 x 6.0mm 4.5 x 8.0mm 4.5 x 11.0mm



5.0 x 5.0mm 5.0 x 6.0mm 5.0 x 8.0mm 5.0 x 11.0mm

PART NO.	DIAMETER	LENGTH
930-360	3.0mm	6.0mm
930-380	3.0mm	8.0mm
940-350	4.0mm	5.0mm
940-360	4.0mm	6.0mm
940-380	4.0mm	8.0mm
940-311	4.0mm	11.0mm
945-360	4.5mm	6.0mm
945-380	4.5mm	8.0mm
945-311	4.5mm	11.0mm
950-350	5.0mm	5.0mm
950-360	5.0mm	6.0mm
950-380	5.0mm	8.0mm
950-311	5.0mm	11.0mm

GUIDED SURGERY COMPONENTS

Guided Inserters



4.0 x 2.0mm 4.0 x 2.5mm 4.5 x 2.5mm 4.5 x 3.0mm 5.0 x 3.0mm

PART NO.	DIAMETER	POST
940-420	4.0mm	2.0mm
940-425	4.0mm	2.5mm
945-425	4.5mm	2.5mm
945-430	4.5mm	3.0mm
950-430	5.0mm	3.0mm

Guide Rings (5)



PART NO.	DIAMETER
930-005	3.0mm
940-005	4.0mm
945-005	4.5mm
950-005	5.0mm

Guided Spade Drills




PART NO.	DIAMETER
930-201	3.0mm
940-201	4.0mm
945-201	4.5mm
950-201	5.0mm

Guided Tissue Punches



PART NO.	DIAMETER
930-101	3.0mm
940-101	4.0mm
945-101	4.5mm
950-101	5.0mm


4
SERIES




POST SIZES

- 2.0mm Post**
- 2.5mm Post**
- 3.0mm Post**


5
SERIES



6
SERIES



7
SERIES



*A full complement of 15° angled Universal Abutments is available.

UNIVERSAL ABUTMENT COMPONENTS



IMPRESSION SLEEVES



TEMPORIZATION SLEEVES




HEALING CAPS



WAXING SLEEVES

UNIVERSAL ABUTMENT TRANSFER DIES



SERIES	PROFILE		
	LOW	STANDARD	TALL
4		4	4T
5	5L	5	5T
6	6L	6	6T
7	7L	7	



Policies and Procedures

Placing Orders

Orders may be placed online at www.bicon.com, by fax, or phone.
Online orders receive a 2% discount.

Bicon
501 Arborway
Boston, MA 02130 U.S.A.

Fax: 800.28.BICON (282.4266) 617.524.0096

Voice: 800.88.BICON (882.4266) 617.524.4443

E-Mail: support@bicon.com **Web:** www.bicon.com

Office hours for customer service are from 8:00am-6:00pm Mon-Fri EST.
Orders received by 5:00pm EST Mon-Fri will be processed and shipped the same day.

Return Policy

Items returned within 30 days from the date of purchase are eligible for full credit.

Items returned between 31 and 90 days from the date of purchase are subject to a 15% restocking fee.

Items will not be accepted for credit after 90 days from the date of purchase.

Items must be in their original undamaged and unopened packaging with all seals intact.

Implants and abutments being returned for exchange must have at least a two year shelf life remaining.

Expiring product is not a valid reason for returning or exchanging product.

Shipping charges for any return must be paid by the customer.

Individual items from a kit or previously exchanged items can not be returned for credit.

Return Procedure

Call the Customer Service Department at 800.88.BICON to receive a Return Authorization Number (RA#). The granting of an RA# does not guarantee that the product will be accepted for return. All return policy conditions must be met for the return to be processed.

A copy of the corresponding invoice **must** be enclosed with the shipment.

Send all returns to: **Bicon Returns Department**
501 Arborway
Boston, MA 02130 U.S.A.

Items missing from package, or damaged due to improper packaging will not be given credit.

Claims

Claims for short shipment must be made within 48 hours of receipt. ICC regulations require that claims for damaged merchandise be made with the carrier within 10 days of receipt. Do not accept damaged shipments unless such damage is noted on the Bill of Lading at the time of receipt. Bicon will not issue credit for shipping damages unless the above procedure is followed.





WORLD HEADQUARTERS

**501 Arborway
Boston, MA 02130 USA**

TEL 800.88.BICON ■ 617.524.4443

FAX 800.28.BICON ■ 617.524.0096

www.bicon.com ■ support@bicon.com

bicon[®]
DENTAL IMPLANTS